

ASHLAND®

SAFETY DATA SHEET

Page: 1

Revision Date: 05/15/2014

Print Date: 6/6/2014

MSDS Number: R0718440

Version: 1.0

Polyclar™ PLUS 730 beverage clarifier
™ Trademark, Ashland or its subsidiaries, registered
in various countries
830911

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Ashland	Regulatory Information Number	1-800-325-3751
P.O. Box 2219	Telephone	614-790-3333
Columbus, OH 43216	Emergency telephone number	1-800-ASHLAND (1-800-274-5263)
Product name	Polyclar™ PLUS 730 beverage clarifier	
Product code	™ Trademark, Ashland or its subsidiaries, registered in various countries 830911	

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance: solid, powder, white

WARNING! MAY FORM COMBUSTIBLE DUST-AIR MIXTURES.
CONTACT MAY DRY SKIN AND CAUSE IRRITATION.

PROLONGED OR REPEATED

Potential Health Effects

Exposure routes

Inhalation, Skin contact, Eye Contact, Ingestion

Eye contact

Dust can cause eye irritation. Symptoms include stinging, tearing, redness, and swelling of eyes.

Skin contact

Dust may cause slight mechanical irritation. Prolonged or repeated contact may dry the skin. Symptoms may include redness, burning, and drying and cracking of skin, skin burns, and other skin damage.

Ingestion

Swallowing small amounts of this material during normal handling is not likely to cause harmful effects. Swallowing large amounts may be harmful.

Inhalation

This material is a dust or may produce dust. Prolonged or repeated breathing of this material may result in chronic bronchitis (inflammation of the airways of the lungs). Symptoms include coughing and shortness of breath. Symptoms are not expected at air concentrations below the recommended exposure limits, if applicable (see Section 8.).

Aggravated Medical Condition

No data

Symptoms

ASHLAND®

SAFETY DATA SHEET

Page: 2

Revision Date: 05/15/2014

Print Date: 6/6/2014

MSDS Number: R0718440

Version: 1.0

Polyclar™ PLUS 730 beverage clarifier
™ Trademark, Ashland or its subsidiaries, registered
in various countries
830911

No symptoms known or expected.

Target Organs

No data

Carcinogenicity

This material is not listed as a carcinogen by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP), or the Occupational Safety and Health Administration (OSHA).

Reproductive hazard

No data

3. COMPOSITION/INFORMATION ON INGREDIENTS

WHMIS hazardous composition: No ingredients are hazardous according to the CPR criteria.

4. FIRST AID MEASURES

Eyes

If symptoms develop, move individual away from exposure and into fresh air. Flush eyes gently with water while holding eyelids apart. If symptoms persist or there is any visual difficulty, seek medical attention.

Skin

Remove contaminated clothing. Wash exposed area with soap and water. If symptoms persist, seek medical attention. Launder clothing before reuse.

Ingestion

Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with the head down. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting. If possible, do not leave individual unattended.

Inhalation

If symptoms develop, move individual away from exposure and into fresh air. If symptoms persist, seek medical attention. If breathing is difficult, administer oxygen. Keep person warm and quiet; seek immediate medical attention.

Notes to physician

Hazards: No information available.

Treatment: No hazards which require special first aid measures.

5. FIREFIGHTING MEASURES

Suitable extinguishing media

ASHLAND[®]

SAFETY DATA SHEET

Page: 3

Revision Date: 05/15/2014

Print Date: 6/6/2014

MSDS Number: R0718440

Version: 1.0

Polyclar[™] PLUS 730 beverage clarifier
[™] Trademark, Ashland or its subsidiaries, registered
in various countries
830911

Water spray

Hazardous combustion products

carbon dioxide and carbon monoxide, Nitrogen oxides (NO_x)

Precautions for fire-fighting

Organic dusts at sufficient concentration can form explosive mixtures in air. Wear full firefighting turn-out gear (full Bunker gear), and respiratory protection (SCBA). Use water spray to cool fire exposed containers and structures until fire is out if it can be done with minimal risk. Avoid spreading burning material with water used for cooling purposes.

NFPA Flammable and Combustible Liquids Classification

not applicable

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

For personal protection see section 8. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Avoid breathing dust. Material can create slippery conditions.

Environmental precautions

Do not flush into surface water or sanitary sewer system.

Methods for cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal. Pick up and arrange disposal without creating dust.

Other information

Comply with all applicable federal, state, and local regulations.

7. HANDLING AND STORAGE

Handling

Containers of this material may be hazardous when emptied. Since emptied containers retain product residues (vapor, liquid, and/or solid), all hazard precautions given in the data sheet must be observed. Avoid dust formation. Maintain good housekeeping. Do not permit dust layers to accumulate, for example, on floors, ledges, and equipment, in order to avoid any potential for dust explosion hazards. For further guidance on prevention of dust explosions, refer to National Fire Protection Association (NFPA) 654: "Standard for the Prevention of Fire and Dust Explosions, from the Manufacturing, Processing and Handling of Combustible Particulate Solids". The material can accumulate static charge and can therefore cause electrical ignition of flammable atmospheres. Ensure all equipment is electrically grounded and bonded before beginning transfer operations.

Storage

Store in a cool, dry, ventilated area.

ASHLAND®

SAFETY DATA SHEET

Page: 4

Revision Date: 05/15/2014

Print Date: 6/6/2014

MSDS Number: R0718440

Version: 1.0

Polyclar™ PLUS 730 beverage clarifier
™ Trademark, Ashland or its subsidiaries, registered
in various countries
830911

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

SILICA COLLOIDAL		112926-00-8	
CAD BC OEL	time weighted average	4 mg/m3	Total
CAD BC OEL	time weighted average	1.5 mg/m3	Respirable.
CAD ON OEL	time weighted average	10 mg/m3	
OEL (QUE)	time weighted average	6 mg/m3	Respirable dust.

General advice

These recommendations provide general guidance for handling this product. Personal protective equipment should be selected for individual applications and should consider factors which affect exposure potential, such as handling practices, chemical concentrations and ventilation. It is ultimately the responsibility of the employer to follow regulatory guidelines established by local authorities.

Avoid breathing dust.

Exposure controls

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects. Provide appropriate exhaust ventilation at places where dust is formed. Not required under normal conditions of use.

Eye protection

Wear safety glasses or chemical splash goggles when dust exposure is possible.

Skin and body protection

Wear normal work clothing including long pants, long-sleeved shirts and foot covering to prevent direct contact of the product with the skin. Launder clothing before reuse. If skin irritation develops, contact your facility health and safety professional or your local safety equipment supplier to determine the proper personal protective equipment for your use.

Wear resistant gloves (consult your safety equipment supplier).

Respiratory protection

A NIOSH-approved air-purifying respirator with an appropriate cartridge and/or filter may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits (if applicable) or if overexposure has otherwise been determined. Protection provided by air-purifying respirators is limited. Use a positive pressure, air-supplied respirator if there is any potential for uncontrolled release, exposure levels are not known or any other circumstances where an air-purifying respirator may not provide adequate protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	solid
----------------	-------

ASHLAND®

SAFETY DATA SHEET

Page: 5

Revision Date: 05/15/2014

Print Date: 6/6/2014

MSDS Number: R0718440

Version: 1.0

Polyclar™ PLUS 730 beverage clarifier
™ Trademark, Ashland or its subsidiaries, registered
in various countries
830911

Form	powder
Colour	white
Odour	odourless
pH	4.0 - 10.0 @ 10 %
Flash point	
	not applicable
Density	1.8 g/cm3
Water solubility	insoluble

10. STABILITY AND REACTIVITY

Stability

Stable.

Conditions to avoid

Keep away from heat, flame, sparks and other ignition sources. excessive heat

Incompatible products

Hydrogen fluoride, Strong acids, strong alkalis, Strong oxidizing agents, strong reducing agents

Hazardous decomposition products

carbon dioxide and carbon monoxide, Nitrogen oxides (NOx)

Hazardous reactions

Product will not undergo hazardous polymerization.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Eye Contact
Ingestion

Product

Acute oral toxicity : No data available

Acute inhalation toxicity : No data available

Acute dermal toxicity : No data available

ASHLAND®

SAFETY DATA SHEET

Page: 6

Revision Date: 05/15/2014

Print Date: 6/6/2014

MSDS Number: R0718440

Version: 1.0

Polyclar™ PLUS 730 beverage clarifier
™ Trademark, Ashland or its subsidiaries, registered
in various countries
830911

Skin corrosion/irritation : No data available

Serious eye damage/eye irritation : No data available

Respiratory or skin sensitisation : No data available

Components:

No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

No data available

Components:

No data available

Persistence and degradability

Product:

No data available

Components:

No data available

Bioaccumulative potential

Product:

No data available

Components:

No data available

Mobility in soil

Product:

No data available

ASHLAND®

SAFETY DATA SHEET

Page: 7

Revision Date: 05/15/2014

Print Date: 6/6/2014

MSDS Number: R0718440

Version: 1.0

Polyclar™ PLUS 730 beverage clarifier
™ Trademark, Ashland or its subsidiaries, registered
in various countries
830911

Components:

No data available

13. DISPOSAL CONSIDERATIONS

Waste disposal methods

Dispose of in accordance with all applicable local, state and federal regulations.

14. TRANSPORT INFORMATION

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.
-----------	----------------------	---------------	--------------------	---------------	------------------------------

MEXICAN REGULATION FOR THE LAND TRANSPORT OF HAZARDOUS MATERIALS AND WASTES

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods

TRANSPORT CANADA - INLAND WATERWAYS

Not dangerous goods

TRANSPORT CANADA - RAIL

Not dangerous goods

TRANSPORT CANADA - ROAD

Not dangerous goods

U.S. DOT - INLAND WATERWAYS

Not dangerous goods

U.S. DOT - RAIL

Not dangerous goods

U.S. DOT - ROAD

ASHLAND®

SAFETY DATA SHEET

Page: 8

Revision Date: 05/15/2014

Print Date: 6/6/2014

MSDS Number: R0718440

Version: 1.0

Polyclar™ PLUS 730 beverage clarifier
™ Trademark, Ashland or its subsidiaries, registered
in various countries
830911

Not dangerous goods

*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

15. REGULATORY INFORMATION

WHMIS Classification

Not Rated

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

Canadian National Pollutant Release Inventory (NPRI) Canadian National Pollutant Release Inventory (NPRI):
No component is listed on NPRI.

Notification status

US. Toxic Substances Control Act	y (positive listing)
Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL). (Can. Gaz. Part II, Vol. 133)	y (positive listing)
Australia. Industrial Chemical (Notification and Assessment) Act	y (positive listing)
Japan. ENCS - Existing and New Chemical Substances Inventory	y (positive listing)
Korea. Toxic Chemical Control Law (TCCL) List	y (positive listing)
Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act	y (positive listing)
China. Inventory of Existing Chemical Substances	y (positive listing)

	HMIS	NFPA
Health	1	1
Flammability	1	1
Physical hazards	0	
Instability		0
Specific Hazard	--	--

16. OTHER INFORMATION

ASHLAND®

SAFETY DATA SHEET

Page: 9

Revision Date: 05/15/2014

Print Date: 6/6/2014

MSDS Number: R0718440

Version: 1.0

Polyclar™ PLUS 730 beverage clarifier

™ Trademark, Ashland or its subsidiaries, registered

in various countries

830911

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists

BEI : Biological Exposure Index

CAS : Chemical Abstracts Service (Division of the American Chemical Society).

CMR : Carcinogenic, Mutagenic or Toxic for Reproduction

FG : Food grade

GHS : Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement : Hazard Statement

IATA : International Air Transport Association.

IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization

ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"

IMDG : International Maritime Code for Dangerous Goods

ISO : International Organization for Standardization

logPow : octanol-water partition coefficient

LCxx : Lethal Concentration, for xx percent of test population

LDxx : Lethal Dose, for xx percent of test population.

ICxx : Inhibitory Concentration for xx of a substance

Ecxx : Effective Concentration of xx

N.O.S.: Not Otherwise Specified

OECD : Organization for Economic Co-operation and Development

OEL : Occupational Exposure Limit

P-Statement : Precautionary Statement

PBT : Persistent , Bioaccumulative and Toxic

PPE : Personal Protective Equipment

STEL : Short-term exposure limit

STOT : Specific Target Organ Toxicity

TLV : Threshold Limit Value

TWA : Time-weighted average

vPvB : Very Persistent and Very Bioaccumulative

WEL : Workplace Exposure Level

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act

DOT : Department of Transportation

FIFRA : Federal Insecticide, Fungicide, and Rodenticide Act

HMIRC : Hazardous Materials Information Review Commission

HMIS : Hazardous Materials Identification System

NFPA : National Fire Protection Association

NIOSH : National Institute for Occupational Safety and Health

OSHA : Occupational Safety and Health Administration

PMRA : Health Canada Pest Management Regulatory Agency

RTK : Right to Know

ASHLAND®

SAFETY DATA SHEET

Page: 10

Revision Date: 05/15/2014

Print Date: 6/6/2014

MSDS Number: R0718440

Version: 1.0

Polyclar™ PLUS 730 beverage clarifier
™ Trademark, Ashland or its subsidiaries, registered
in various countries
830911

WHMIS : Workplace Hazardous Materials Information System